

Partial Translation of Exhibit 4
JP Application Laid-Open H7-48228
Laying Open Date, February 21, 1995

Partial Translation of Exhibit 4

JP Application Laid-Open H7-48228
 Laying Open Date : February 21, 1995
 Application No. : H5-214922
 Application Date : August 6, 1993
 Applicant : Shiseido Co.

Title of the Invention : Lipstick Composition

Example 2 Lipstick

No.1 polyethylene wax	3 wt%
2 ceresin wax	4
3 microcrystalline wax	3
4 carnauba wax	2
5 castor oil	15
6 glycerin triisooctanoate	20
7 liquid paraffin	26.2
8 methylphenyl polysiloxane	10
(KF56, ex Shin Etsu Chemical Co.)	
9 yellow iron oxide	1
10 No.104 red (1)	2
11 No.201 red	3
12 No.218 red	0.8
13 acetic acid tocopherol	dosage
11	12
14 perfume	dosage
15 organically modified clay mineral	
prepared by treating 0.5 g of Bentone-38	
with 0.1 g of POE(14) dioleate	
	0.6
16 pur water	5

17 1,3-butylene glycol

5

Preparation Method

No. 15 was dispersed in 10 wt% of No.6, to which No.16 and No. 17 were gradually added and dispersed by a disper to effect W/O emulsion. Meanwhile, No. 1 to No. 5, the rest of No.6, No.7 and No. 8 were mixed and melted by heating at 90°C. Then, No. 9 to No.14 were added and dispersed at 80°C, to which previously obtained W/O emulsion was added and dispersed. After degassed, the product was put in a predetermined container.